

## MATERIAL SAFETY DATA SHEET

PRODUCT: E-Primer Base  
REVISION DATE: May 5<sup>th</sup>, 2009

Page 1 of 9

### SECTION 1 - CHEMICAL PRODUCT AND COMPANY IDENTIFICATION

**MANUFACTURER/SUPPLIER:** CANUSA-CPS, A DIVISION OF SHAWCOR LTD.  
**ADDRESS:** 25 BETHRIDGE ROAD  
**CITY, PROVINCE/STATE:** TORONTO, ONTARIO  
**POSTAL CODE:** M9W 1M7  
**EMERGENCY PHONE NUMBER:** (613) 996-6666 (CANUTEC)  
**INFORMATION NUMBER:** (416) 743-7111

**PRODUCT IDENTITY** **E-Primer Base**  
(AS USED ON LABEL AND LIST):  
**PRODUCT USE:** Coating for Pipelines  
**PRODUCT I.D. NUMBER (PIN):** N/A

### SECTION 2 - HAZARDS IDENTIFICATION

**ADVERSE HEALTH EFFECTS:**

MAY CAUSE LUNG DAMAGE, SKIN AND RESPIRATORY SENSITIZATION AND DERMATITIS.

**ENVIRONMENTAL EFFECTS:**

NOT AVAILABLE

**PHYSICAL AND CHEMICAL HAZARDS:**

INCOMPATIBLE WITH STRONG ACIDS, BASES, OXIDIZERS AND AMINES.

**SPECIFIC HAZARDS:**

ELEVATED TEMPERATURES

**CARCINOGENICITY INFORMATION:**

FREE SILICA OR RESPIRABLE SILICA DUST IS LISTED AS A PROBABLE HUMAN CARCINOGEN BY IARC.

# MATERIAL SAFETY DATA SHEET

PRODUCT: E-Primer Base  
REVISION DATE: May 5<sup>th</sup>, 2009

Page 2 of 9

## SECTION 3 - COMPOSITION/INFORMATION ON INGREDIENTS

<u>INGREDIENT</u>	<u>CAS #</u>	<u>EU- EINECS</u>	<u>%</u>	<u>HAZARD SYMBOLS</u>	<u>RISK PHRASES</u>
EPOXY PHENOL NOVOLAC	28064-14-4	NA	15-40	Xi, N	R43, R51/53
QUARTZ (CRYSTALLINE SILICA)	14808-60-7	238-878-4	30-60	Xi	--
NEOPENTYL GLYCOL DIGLYCIDYL ETHER	17557-23-2	241-536-7	5-10	Xi	R38, R43
MICA	12001-26-2	NA	1-5	--	--
HYDROPHOBIC SILICA	67762-90-7	NA	0.1-1	--	--
CARBON BLACK	1333-86-4	215-609-9	0.1-1	--	R43

## SECTION 4 - FIRST-AID MEASURES

### EYE CONTACT:

FLUSH WITH WATER FOR 15 MINUTES. GET MEDICAL ATTENTION.

### SKIN CONTACT:

WASH WITH SOAP AND WATER FOR 15 MINUTES; REMOVE CLOTHING. SEEK MEDICAL ATTENTION.

### INHALATION:

REMOVE TO FRESH AIR. IF BREATHING HAS STOPPED, A TRAINED FIRST AIDER SHOULD PERFORM ARTIFICIAL RESPIRATION. GET MEDICAL ATTENTION.

### INGESTION:

SEEK IMMEDIATE MEDICAL ATTENTION.

### NOTE TO PHYSICIAN:

NOT AVAILABLE

## SECTION 5 - FIRE-FIGHTING MEASURES

### SUITABLE EXTINGUISHING MEDIA:

WATER SPRAY, DRY CHEMICAL, FOAM, CARBON DIOXIDE.

# MATERIAL SAFETY DATA SHEET

PRODUCT: E-Primer Base  
REVISION DATE: May 5<sup>th</sup>, 2009

Page 3 of 9

## FIRE-FIGHTING HAZARDS:

NOT AVAILABLE

## FIRE-FIGHTING PERSONAL PROTECTIVE EQUIPMENT:

USE SELF CONTAINED BREATHING APPARATUS DURING FIREFIGHTING

## FIRE-FIGHTING PROCEDURES:

NOT AVAILABLE

## THERMAL DECOMPOSITION BY-PRODUCTS:

OXIDES OF NITROGEN & CARBON (CO, CO<sub>2</sub>), ALDEHYDES AND ACIDS

## SECTION 6 - ACCIDENTAL RELEASE MEASURES

### PERSONAL PRECAUTIONS:

REMOVE ALL SOURCES OF IGNITION. WEAR APPROPRIATE SAFETY EQUIPMENT.

### ENVIRONMENTAL PRECAUTIONS:

PREVENT RUN-OFF FROM REACHING STORM OR SEWER DRAINS.

### METHODS FOR CLEANING UP:

SOAK UP SPILLS WITH INERT ABSORBENT MATERIALS AND PLACE IN CLOSED CONTAINERS. DISPOSE OF IN COMPLIANCE WITH ALL FEDERAL, PROVINCIAL AND MUNICIPAL LEGISLATION.

## SECTION 7 - HANDLING AND STORAGE

### HANDLING REQUIREMENTS:

MAINTAIN GOOD PERSONAL HYGIENE. WASH AFTER USE.

### STORAGE REQUIREMENTS:

COOL DRY ENVIRONMENT

### INCOMPATIBLE MATERIALS:

STRONG ACIDS, BASES, OXIDIZERS AND AMINES

### VENTILATION:

ADEQUATE GENERAL VENTILATION IS RECOMMENDED

# MATERIAL SAFETY DATA SHEET

PRODUCT: E-Primer Base  
REVISION DATE: May 5<sup>th</sup>, 2009

Page 4 of 9

## SECTION 8 - EXPOSURE CONTROLS/PERSONAL PROTECTION

### ENGINEERING CONTROLS:

ADEQUATE GENERAL VENTILATION IS RECOMMENDED

### PERSONAL PROTECTIVE EQUIPMENT (PPE):

GLOVES/TYPE: CHEMICAL RESISTANT GLOVES WHEN HANDLING MATERIAL.  
RESPIRATORY/TYPE: WEAR A NIOSH APPROVED ORGANIC RESPIRATOR DURING APPLICATION AND HANDLING WHERE VAPOUR/MIST IS ENCOUNTERED IN THE BREATHING ZONE. AFTER APPLICATION AND DRYING, WEAR A DUST RESPIRATOR FOR ANY SANDING, GRINDING TYPE ACTIVITIES.  
EYE/TYPE: SPLASH PROOF CHEMICAL SAFETY GOGGLES  
FOOTWEAR: IMPERVIOUS BOOTS  
CLOTHING: CHEMICAL RESISTANT APRON. COVER EXPOSED SKIN.

### INGREDIENT EXPOSURE DATA:

<u>INGREDIENT</u>	<u>CAS #</u>	<u>LD<sub>50</sub> (species and route)</u>	<u>LC<sub>50</sub> (species and route)</u>	<u>OSHA (PEL) TWA</u>	<u>ACGIH (TLV) TWA</u>
EPOXY PHENOL NOVOLAC	28064-14-4	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE
QUARTZ (CRYSTALLINE SILICA)	14808-60-7	NOT AVAILABLE	NOT AVAILABLE	250 mppcf 10 mg/m <sup>3</sup>	0.1 mg/m <sup>3</sup>
NEOPENTYL GLYCOL DIGLYCIDYL ETHER	17557-23-2	Rabbit, Skin: 2150 mg/kg	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE
MICA	12001-26-2	NOT AVAILABLE	NOT AVAILABLE	20 mppcf	INHALABLE: 3 mg/m <sup>3</sup>
HYDROPHOBIC SILICA	67762-90-7	Rat, Oral: 1000 mg/kg	NOT AVAILABLE	NOT AVAILABLE	NOT AVAILABLE
CARBON BLACK	1333-86-4	Rat, Oral: 8 g/kg	NOT AVAILABLE	3.5 mg/m <sup>3</sup>	3.5 mg/m <sup>3</sup>

## SECTION 9 - PHYSICAL AND CHEMICAL PROPERTIES

### PHYSICAL DATA:

PHYSICAL STATE: LIQUID  
FORM: VISCOUS LIQUID  
COLOUR: GREY

# MATERIAL SAFETY DATA SHEET

PRODUCT: E-Primer Base  
REVISION DATE: May 5<sup>th</sup>, 2009

Page 5 of 9

ODOUR:	FAINT OILY ODOUR
ODOUR THRESHOLD (PPM):	NOT AVAILABLE
BOILING POINT:	>300°C (572°F)
FREEZING POINT:	LESS THAN -5°C
MELTING POINT:	< 10°C
EVAPORATION RATE:	NEGLIGIBLE
VAPOUR PRESSURE (mmHg):	NEGLIGIBLE
VAPOUR DENSITY (AIR = 1):	NOT AVAILABLE
pH:	NOT AVAILABLE
SPECIFIC GRAVITY (WATER = 1):	1.573
COEFFICIENT OF WATER/OIL DISTRIBUTION:	NOT AVAILABLE
SOLUBILITY IN WATER:	SLIGHTLY

## SECTION 10 - STABILITY AND REACTIVITY

### CONDITIONS TO AVOID:

ELEVATED TEMPERATURES

### MATERIALS TO AVOID:

STRONG ACIDS, BASES, OXIDIZERS AND AMINES

### STABILITY AND REACTIVITY DATA:

STABILITY:	UNSTABLE: _____	STABLE: _____
HAZARDOUS POLYMERIZATION:	WILL OCCUR: _____	WILL NOT OCCUR: <u>  X  </u>

### FLAMMABILITY DATA:

DECOMPOSITION TEMPERATURE:	> 200°C (392°F)
FLASHPOINT:	> 93.3°C (212°F) SETA
AUTOIGNITION TEMPERATURE:	NOT AVAILABLE

### HAZARDOUS COMBUSTION OR DECOMPOSITION PRODUCTS:

OXIDES OF NITROGEN & CARBON (CO, CO<sub>2</sub>), ALDEHYDES AND ACIDS

### EXPLOSION DATA:

STATIC DISCHARGE:	NOT AVAILABLE
MECHANICAL IMPACT:	NOT AVAILABLE
LOWER EXPLOSIVE LIMIT, LEL (%):	NOT AVAILABLE
UPPER EXPLOSIVE LIMIT, UEL (%):	NOT AVAILABLE

## SECTION 11 - TOXICOLOGY INFORMATION

### EFFECTS FROM EYE CONTACT:

CAUSES EYE IRRITATION.

# MATERIAL SAFETY DATA SHEET

PRODUCT: E-Primer Base  
REVISION DATE: May 5<sup>th</sup>, 2009

Page 6 of 9

## EFFECTS FROM SKIN CONTACT:

MAY CAUSE SKIN BURNS OR ALLERGIC SKIN REACTIONS.

## EFFECTS FROM INHALATION:

MAY CAUSE NOSE AND THROAT IRRITATION. MAY CAUSE LUNG INJURY &/OR BURNS

## EFFECTS FROM INGESTION:

HARMFUL IF SWALLOWED.

## TOXICOLOGICAL DATA:

EFFECTS OF ACUTE EXPOSURE:	SEE ABOVE
EFFECTS OF CHRONIC EXPOSURE:	MAY CAUSE LUNG DAMAGE, SKIN AND RESPIRATORY SENSITIZATION AND DERMATITIS. REPEATED INHALATION OF CONCENTRATED FREE SILICA DUST MAY CAUSE DELAYED LUNG INJURY (SILICOSIS).
IRRITANCY OF MATERIAL:	SEE ACUTE EFFECTS
SENSITIZING CAPABILITY:	YES
CARCINOGENICITY OF MATERIAL:	FREE SILICA OR RESPIRABLE SILICA DUST IS LISTED AS A PROBABLE HUMAN CARCINOGEN BY IARC.
REPRODUCTIVE TOXICITY:	NOT AVAILABLE
TERATOGENICITY:	NOT AVAILABLE
MUTAGENICITY:	NOT AVAILABLE
SYNERGISTIC MATERIALS:	NOT AVAILABLE

## SECTION 12 - ECOLOGICAL INFORMATION

### ECOTOXICITY DATA:

NOT AVAILABLE

### OTHER EFFECTS AND INFORMATION:

NOT AVAILABLE

## SECTION 13 - DISPOSAL CONSIDERATIONS

### PRODUCT AS SOLD:

DISPOSE OF IN COMPLIANCE WITH ALL FEDERAL, PROVINCIAL AND MUNICIPAL LEGISLATION.

### PRODUCT PACKAGING:

DISPOSE OF IN COMPLIANCE WITH ALL FEDERAL, PROVINCIAL AND MUNICIPAL LEGISLATION.

# MATERIAL SAFETY DATA SHEET

PRODUCT: E-Primer Base  
REVISION DATE: May 5<sup>th</sup>, 2009

Page 7 of 9

**SPECIAL INSTRUCTIONS:**  
NOT AVAILABLE

## SECTION 14 - TRANSPORT INFORMATION

### SHIPPING INFORMATION:

SHIPPING NAME:	<b>E-PRIMER Base</b>
PIN/UN NUMBER:	NOT AVAILABLE
PACKING GROUP:	NOT AVAILABLE
TDG REGULATED:	NOT REGULATED AS A HAZARDOUS MATERIAL
DOT REGULATED:	NOT REGULATED AS A HAZARDOUS MATERIAL
IATA REGULATED:	NOT REGULATED AS A HAZARDOUS MATERIAL
IMDG REGULATED:	NOT REGULATED AS A HAZARDOUS MATERIAL

**SPECIAL SHIPPING INSTRUCTIONS:**  
NOT AVAILABLE

## SECTION 15 - REGULATORY INFORMATION

### NOTE:

THE REGULATORY INFORMATION PROVIDED IS NOT INTENDED TO BE COMPREHENSIVE. OTHER LOCAL, STATE, PROVINCIAL, FEDERAL, INTERNATIONAL OR COUNTRY SPECIFIC REGULATIONS MAY APPLY TO THIS MATERIAL. THIS PRODUCT HAS BEEN CLASSIFIED IN ACCORDANCE WITH THE HAZARD CRITERIA OF THE CONTROLLED PRODUCTS REGULATIONS (CPR) AND THE MSDS CONTAINS ALL THE INFORMATION REQUIRED BY THE CPR.

### GENERAL MATERIAL INFORMATION:

WHMIS CLASSIFICATION:



EUROPEAN  
CLASSIFICATION



RISK PHRASES

R38, R43, R51/53

SAFETY PHRASES

S2, S24/25, S37, S38, S46

# MATERIAL SAFETY DATA SHEET

PRODUCT: E-Primer Base  
 REVISION DATE: May 5<sup>th</sup>, 2009

Page 8 of 9

## COMPONENT ANALYSIS – LIST STATUS:

<u>INGREDIENT</u>	<u>CAS #</u>	<u>CANADA WHMIS IDL</u>	<u>US CERCLA PRIORITY LIST</u>
EPOXY PHENOL NOVOLAC	28064-14-4	NO	NO
QUARTZ (CRYSTALLINE SILICA)	14808-60-7	YES	NO
NEOPENTYL GLYCOL DIGLYCIDYL ETHER	17557-23-2	NO	NO
MICA	12001-26-2	YES	NO
HYDROPHOBIC SILICA	67762-90-7	NO	NO
CARBON BLACK	1333-86-4	YES	NO

## COMPONENT ANALYSIS – INVENTORY STATUS:

<u>INGREDIENT</u>	<u>CAS #</u>	<u>CANADA- DSL</u>	<u>US- TSCA</u>	<u>EU- EINECS</u>	<u>AUSTRALIA -AICS</u>
EPOXY PHENOL NOVOLAC	28064-14-4	YES	YES	NO	YES
QUARTZ (CRYSTALLINE SILICA)	14808-60-7	YES	YES	YES 238-878-4	YES
NEOPENTYL GLYCOL DIGLYCIDYL ETHER	17557-23-2	YES	YES	YES 241-536-7	YES
MICA	12001-26-2	YES	NO	NO	YES
HYDROPHOBIC SILICA	67762-90-7	YES	YES	NO	YES
CARBON BLACK	1333-86-4	YES	YES	YES 215-609-9	YES



# MATERIAL SAFETY DATA SHEET

PRODUCT: E-Primer Base  
REVISION DATE: May 5<sup>th</sup>, 2009

Page 9 of 9

## SECTION 16 - OTHER INFORMATION

PREPARED BY: SHAWCOR LTD.  
TELEPHONE NUMBER: (416) 743-7111  
DATE PREPARED: July 7<sup>th</sup> 2006

### ADDITIONAL INFORMATION:

EUROPEAN/INTERNATIONAL HAZARD SYMBOLS AND RISK AND SAFETY PHRASES

#### HAZARD SYMBOLS:

X<sub>i</sub>: IRRITANT  
N: DANGEROUS FOR THE ENVIRONMENT

#### RISK PHRASES:

R38: IRRITATING TO SKIN  
R43: MAY CAUSE SENSITIZATION BY SKIN CONTACT  
R51/53: TOXIC TO AQUATIC ORGANISMS, MAY CAUSE LONG-TERM ADVERSE EFFECTS IN THE AQUATIC ENVIRONMENT

#### SAFETY PHRASES:

S2: KEEP OUT OF REACH OF CHILDREN  
S24/25: AVOID CONTACT WITH SKIN AND EYES  
S37: WEAR SUITABLE GLOVES  
S38: IN CASE OF INSUFFICIENT VENTILATION, WEAR SUITABLE RESPIRATORY EQUIPMENT  
S46: IF SWALLOWED, SEEK MEDICAL ADVICE IMMEDIATELY AND SHOW THIS CONTAINER OR LABEL

**DISCLAIMER:** THIS INFORMATION IS ACCURATE AND RELIABLE TO THE BEST OF OUR KNOWLEDGE. IT IS FURNISHED WITHOUT WARRANTY, EXPRESSED OR IMPLIED. CANUSA-CPS, A DIVISION OF SHAWCOR LTD. ASSUMES NO LEGAL RESPONSIBILITY FOR THE USE OF, OR RELIANCE UPON, THIS DATA FOR HAZARDS WHICH MIGHT BE ASSOCIATED WITH THE USE OF THESE MATERIALS OR FOR RESULTS OBTAINED. IT IS THE RESPONSIBILITY OF THE USER TO COMPLY WITH ALL APPLICABLE LAWS AND REGULATIONS. THIS MSDS WAS CREATED IN COMPLIANCE WITH APPLICABLE HAZARDOUS MATERIAL REGULATIONS, AND IS NOT INTENDED TO BE USED FOR ANY OTHER PURPOSE.